



# Shoreline Assessment Job Aid

National Oceanic and Atmospheric Administration • NOAA Ocean Service  
Office of Response and Restoration • Emergency Response Division



This job aid was produced and published by NOAA's Emergency Response Division (ERD). All photographs, with exception of the one on the cover, were contributed by Miles O. Hayes and Jacqueline Michel of Research Planning, Inc.

ERD draws on three decades of experience in responding with the U.S. Coast Guard to spill emergencies and resolving the often longer-term problems presented by hazardous waste sites, garnering a reputation for rapid, yet carefully considered and cost-effective environmental protection decisions.



U.S. DEPARTMENT OF COMMERCE  
National Oceanic and Atmospheric Administration  
NOAA Ocean Service

Office of Response and Restoration/Emergency Response Division  
7600 Sand Point Way N.E., Seattle, Washington 98115  
(206) 526-6317 or [orr.library@noaa.gov](mailto:orr.library@noaa.gov)

Introduction .....	1
--------------------	---

Beach Profiles .....	2
----------------------	---

Photographs .....	4
-------------------	---

#### Surface Oil Distribution – Percent Cover

<b>C</b> Continuous.....	4
--------------------------	---

<b>B</b> Broken.....	4
----------------------	---

<b>P</b> Patchy.....	5
----------------------	---

<b>S</b> Sporadic .....	5
-------------------------	---

#### Surface Oiling Descriptors – Thickness

<b>PO</b> Pooled oil .....	6
----------------------------	---

<b>CV</b> Cover.....	6
----------------------	---

<b>CT</b> Coat.....	7
---------------------	---

<b>ST</b> Stain .....	7
-----------------------	---

<b>FL</b> Film.....	8
---------------------	---

#### Surface Oiling Descriptors – Type

<b>FR</b> Fresh oil .....	9
---------------------------	---

<b>MS</b> Mousse.....	9
-----------------------	---

<b>TB</b> Tarballs.....	10
-------------------------	----

<b>PT</b> Patties.....	10
------------------------	----

<b>TC</b> Tar .....	11
---------------------	----

<b>SR</b> Surface oil residue .....	11
-------------------------------------	----

<b>AP</b> Asphalt pavements .....	12
-----------------------------------	----

#### Subsurface Oiling Descriptors – Type

<b>SAP</b> Subsurface asphalt pavement.....	13
---	----

<b>OP</b> Oil-filled pores.....	13
---------------------------------	----

<b>PP</b> Partially filled pores.....	14
---------------------------------------	----

<b>OR</b> Oil residue.....	14
----------------------------	----

<b>OF</b> Oil film.....	15
-------------------------	----

# CONTENTS

## Sediment Types

<b>R</b>	Bedrock outcrop.....	16
<b>B</b>	Boulder .....	16
<b>C</b>	Cobble.....	17
<b>P</b>	Pebble .....	17
<b>G</b>	Granule .....	18
<b>S</b>	Sand .....	18
<b>M</b>	Mud.....	19

## Shoreline Types by ESI rank

<b>1</b>	Exposed rocky shores.....	20
<b>2</b>	Exposed rocky platforms.....	20
<b>3</b>	Fine-grained sand beaches .....	21
<b>4</b>	Coarse-grained sand beaches .....	21
<b>5</b>	Mixed sand and gravel beaches .....	21
<b>6a</b>	Gravel beaches.....	22

## Shoreline Types *continued*

<b>6b</b>	Riprap structures.....	22
<b>7</b>	Exposed tidal flats.....	22
<b>8a</b>	Sheltered rocky shores.....	23
<b>8b</b>	Sheltered man-made structures.....	23
<b>9</b>	Sheltered tidal flats.....	23
<b>10a</b>	Salt to brackish marshes.....	24
<b>10b</b>	Freshwater marshes .....	24
<b>10c</b>	Swamp .....	25
<b>10d</b>	Mangroves.....	25

## Cleanup Methods

Barriers/berms.....	26
Physical herding .....	26
Manual oil removal/cleaning .....	27
Mechanical oil removal.....	27

**Cleanup Methods** *continued*

Sorbents ..... 28

Vacuum ..... 28

Debris removal ..... 29

Sediment reworking/tilling ..... 29

Vegetation cutting/removal ..... 30

Flooding (deluge) ..... 30

Low-pressure flushing ..... 31

High-pressure flushing ..... 31

High-pressure, hot-water flushing ..... 32

**Percent Cover Estimation Charts ..... 33**

## Shoreline Assessment Job Aid

When oil contaminates shoreline habitats, responders must survey the affected areas to determine the appropriate response. Though general approvals or decision tools for use of shoreline cleanup methods may be developed during planning stages, responders must base specific cleanup recommendations on field data on the shoreline habitats, type and degree of shoreline contamination, and spill-specific physical processes.

A shoreline assessment program is:

- a **SYSTEMATIC** approach that uses **STANDARD** terminology to collect data on shoreline oiling conditions and support decision making for shoreline cleanup.
- **FLEXIBLE** in terms of scale of the survey and detail of the data sets collected.
- **MULTI-AGENCY**, with **TRAINED** representatives from all interested parties who have authority to make decisions.

NOAA published the Shoreline Assessment Manual (Report No. HAZMAT 97-4) which outlines methods for planning and conducting shoreline assessment and incorporating the results into the decision-making process for shoreline cleanup at oil


spills. This job aid was developed to supplement the manual, providing a visual guide to many of the terms used during shoreline assessments.


Photographs are included for the following terminology:

- Oil distribution (as ranges in percent oil cover)
- Surface oiling thickness descriptors
- Surface oiling type descriptors
- Subsurface oiling type descriptors
- Sediment types
- Shoreline types
- Cleanup methods

Beach terminology is defined on typical cross-sections of sand and gravel beaches. Percent cover estimation charts are also provided.

At a spill, it is important to “calibrate” by having all team members visit a segment together and agree on how the oiling descriptors will be applied for the specific spill when used with the *Shoreline Assessment Manual*. This job aid is helpful for calibrating and promoting consistency among terms.







C

**Continuous**

91-100% cover

*(seen here as black oil on light sand beach)*



**Broken**

51-90% cover

*(seen here as brown oil on tan sand beach)*

B



P

**Patchy**

11-50% cover

*(seen here as black oil bands on a white sand beachface)***Sporadic**

1-10% cover

*(seen here as brown oil bands on a white sand beachface)*

S



PO

### Pooled Oil

fresh oil or mousse > 1 cm thick

*(seen here as accumulation around a large boulder)*




### Cover

oil or mousse > 0.1 cm to < 1 cm thick

*(seen here as oil covering sand beach surface and running into a small trench)*

CV



CT

**Coat**

visible coating of oil < 0.1 cm – can be scraped off with fingernail

*(seen here as a thin layer of oil on riprap)*

**Stain**

visible oil which cannot be scraped off with fingernail

*(seen here as splotches on cobbles)*

ST




FL

**Film**

transparent or iridescent sheen, or oily film

*(seen here as oil sheen floating on water)*





FR

**Fresh Oil**


unweathered, liquid oil

**Mousse**

emulsified oil

*(seen here as brown oil coating cobbles)*

MS



**TB**

**Tarballs**


discrete accumulations of oil < 10 cm in diameter  
*(seen here scattered on sand beach)*



**PT**

**Patties**

discrete accumulations of oil > 10 cm in diameter  
*(seen here as single black patty on sand beach)*



TC


**Tar**

highly weathered oil of nearly solid consistency

**Surface Oil Residue**

non-cohesive, heavily oiled surface sediments characterized as soft, incipient asphalt pavements

SR






AP

## Asphalt Pavements

cohesive, heavily oiled surface sediments


*(seen here as thick black deposit on a beachface)*



SAP

**Subsurface Asphalt Pavement**

a buried layer of hardened oil

*(seen here as black layer buried in a white sand beach)***Oil-filled Pores**

pore spaces are completely filled with oil to the extent that oil flows out of sediments when disturbed

*(seen here as brown oil pebbles)*

OP



PP

**Partially Filled Pores**


pore spaces filled with oil, but generally does not flow out when disturbed



**Oil Residue**

sediments visibly oiled with black/brown coat or cover on clasts, but little or no accumulation of oil within pore spaces


OR



OF

**Oil Film**

sediments are lightly oiled with an oil sheen or stain on the clasts.



R

**Bedrock Outcrop**



**Boulder**  
>256 mm in diameter

B





C

**Cobble**

64 – 256 mm in diameter

**Pebble**


4 – 64 in diameter

P



G

**Granule**  
2 – 4 mm



**Sand**  
0.06 – 4 mm

S



M

**Mud**  
silt and clay





1

## Exposed Rocky Shores

*(also includes exposed seawalls)*



## Exposed Rocky Platforms

*(also includes clay scarps)*

2



3

**Fine-grained  
Sand Beaches***(also includes scarps in sand)*

4

**Course-grained  
Sand Beaches**

5

**Mixed Sand and  
Gravel Beaches***(also includes mixed sand and shell  
beaches)*

6a

**Gravel Beaches**  
*(also includes shell beaches)*



6b

**Riprap Structures**



**Exposed Tidal Flats**

7



8a

Sheltered  
Rocky Shores



8b

Sheltered  
Man-made Structures



9

Sheltered  
Tidal Flats



10a

Salt to Brackish Marshes



Freshwater Marshes


10b





10c

Swamps



Mangroves

10d



## Barriers/Berms



## Physical Herding



**Manual Oil Removal/Cleaning****Mechanical Oil Removal**



## Sorbents



## Vacuum



**Debris Removal****Sediment Reworking/Tilling**

## Vegetation Cutting/Removal



## Flooding (deluge)



### Low-pressure Flushing




### High-pressure Flushing



## High-pressure, Hot-water Flushing




These charts are aids to help you estimate the percent oil coverage in the area you are observing. The black shading represents oil. Do not spend time trying to get a precise measure of percent cover; the four ranges listed are usually sufficient. The chart below would prove most helpful in oil band situations; the one on the following page is best for discrete oil deposits such as tarballs.




\* Trace = < 1%

Chart source: Owens, E.H., and G.A. Sergy. Field Guide to the Documentation and Description of Oiled Shorelines. Environment Canada, Edmonton, Alberta, Canada. March 1994. ISBN 0-662-22048-X.







1%



3%




5%




10%




20%



30%



40%



50%



Carlos M. Gutierrez  
Secretary, U.S. Department of Commerce

Vice Admiral Conrad C. Lautenbacher, Jr., USN (Ret.)  
Under Secretary for Oceans and Atmosphere and NOAA Administrator

John H. Dunnigan  
Assistant Administrator,  
Ocean Services and Coastal Zone Management  
NOAA Ocean Service

August 2007

---

U.S. Department of Commerce • National Oceanic and Atmospheric Administration • NOAA Ocean Service

